

Erratum for Chu et al., Function of the *Borrelia burgdorferi* FtsH Homolog Is Essential for Viability both *In Vitro* and *In Vivo* and Independent of HflK/C

Chen-Yi Chu,^{a*} Philip E. Stewart,^a Aaron Bestor,^a Bryan Hansen,^b Tao Lin,^c Lihui Gao,^c  Steven J. Norris,^c Patricia A. Rosa^a

Laboratory of Zoonotic Pathogens, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Hamilton, Montana, USA^a; Research Technologies Branch, Rocky Mountain Laboratories, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Hamilton, Montana, USA^b; Department of Pathology and Laboratory Medicine, McGovern Medical School at UTHealth, Houston, Texas, USA^c

C.-Y.C. and P.E.S. are co-first authors.

* Present address: Chen-Yi Chu, Institute of Disease Control and Prevention, Academy of Military Medical Sciences, Beijing, China.

Volume 7, no. 2, doi:[10.1128/mBio.00404-16](https://doi.org/10.1128/mBio.00404-16), 2016. The present address should have appeared as shown above.

Published 20 December 2016

Citation Chu C-Y, Stewart PE, Bestor A, Hansen B, Lin T, Gao L, Norris SJ, Rosa PA. 2016. Erratum for Chu et al., Function of the *Borrelia burgdorferi* FtsH homolog is essential for viability both *in vitro* and *in vivo* and independent of HflK/C. mBio 7(6):e02135-16. doi: 10.1128/mBio.02135-16.

Copyright © 2016 Chu et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Philip E. Stewart, pestewart@niaid.nih.gov.